

**$\rho_5(2350)$**  $I^G(J^{PC}) = 1^+(5^{--})$ 

## OMMITTED FROM SUMMARY TABLE

This entry was previously called  $U_1(2400)$ . See also  $\rho(2150)$ ,  $f_2(2150)$ ,  $\rho_3(2250)$ ,  $f_4(2300)$ .

 **$\rho_5(2350)$  MASS** **$\pi^- p \rightarrow \omega \pi^0 n$** 

| VALUE (MeV)    | DOCUMENT ID | TECN    | COMMENT                                 |
|----------------|-------------|---------|---|
| <b>2330±35</b> | ALDE        | 95 GAM2 | $38 \pi^- p \rightarrow \omega \pi^0 n$ |

| VALUE (MeV)  | DOCUMENT ID         | TECN       | CHG | COMMENT                                |
|--|---------------------|------------|-----|--|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |                     |            |     |  |
| ~ 2303   | HASAN               | 94 RVUE    |     | $\bar{p}p \rightarrow \pi\pi$          |
| ~ 2300   | <sup>1</sup> MARTIN | 80B RVUE   |     |  |
| ~ 2250   | <sup>1</sup> MARTIN | 80C RVUE   |     |  |
| ~ 2500   | <sup>2</sup> CARTER | 78B CNTR 0 |     | 0.7–2.4 $\bar{p}p \rightarrow K^- K^+$ |
| ~ 2480   | <sup>3</sup> CARTER | 77 CNTR 0  |     | 0.7–2.4 $\bar{p}p \rightarrow \pi\pi$  |

**S-CHANNEL  $\bar{N}N$** 

| VALUE (MeV)  | DOCUMENT ID              | TECN        | CHG | COMMENT  |
|--|--------------------------|-------------|-----|--|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |                          |             |     |  |
| 2300±45  | <sup>4</sup> ANISOVICH   | 02 SPEC     |     | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0$ ,<br>$\omega\eta\pi^0$ , $\pi^+\pi^-$ |
| 2295±30  | ANISOVICH                | 00J SPEC    |     |  |
| ~ 2380   | <sup>5</sup> CUTTS       | 78B CNTR    |     | 0.97–3 $\bar{p}p \rightarrow \bar{N}N$   |
| 2345±15  | <sup>5,6</sup> COUPLAND  | 77 CNTR 0   |     | 0.7–2.4 $\bar{p}p \rightarrow \bar{p}p$  |
| 2359± 2  | <sup>5,7</sup> ALSPECTOR | 73 CNTR     |     | $\bar{p}p$ S channel   |
| 2350±10  | 8 ABRAMS                 | 70 CNTR     |     | S channel $\bar{N}N$   |
| 2360±25  | 9 OH                     | 70B HDBC –0 |     | $\bar{p}(pn)$ , $K^*K2\pi$   |

 **$\pi^- p \rightarrow K^+ K^- n$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

**• • • We do not use the following data for averages, fits, limits, etc. • • •**

|  |       |           |    |                                 |
|--|-------|-----------|----|---------------------------------|
| 2307±6   | ALPER | 80 CNTR 0 | 62 | $\pi^- p \rightarrow K^+ K^- n$ |
| <b><sup>1</sup> <math>I(J^P) = 1(5^-)</math> from simultaneous analysis of <math>p\bar{p} \rightarrow \pi^-\pi^+</math> and <math>\pi^0\pi^0</math>.</b> |       |           |    |                                 |
| <b><sup>2</sup> <math>I = 0(1)</math>; <math>J^P = 5^-</math> from Barrelet-zero analysis.</b>   |       |           |    |                                 |
| <b><sup>3</sup> <math>I(J^P) = 1(5^-)</math> from amplitude analysis.</b>  |       |           |    |                                 |
| <b><sup>4</sup> From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.</b>   |       |           |    |                                 |
| <b><sup>5</sup> Isospins 0 and 1 not separated.</b>  |       |           |    |                                 |
| <b><sup>6</sup> From a fit to the total elastic cross section.</b>   |       |           |    |                                 |
| <b><sup>7</sup> Referred to as <math>U</math> or <math>U</math> region by ALSPECTOR 73.</b>  |       |           |    |                                 |
| <b><sup>8</sup> For <math>I = 1</math> <math>\bar{N}N</math>.</b>  |       |           |    |                                 |
| <b><sup>9</sup> No evidence for this bump seen in the <math>\bar{p}p</math> data of CHAPMAN 71B. Narrow state not confirmed by OH 73 with more data.</b> |       |           |    |                                 |

**$\rho_5(2350)$  WIDTH** **$\pi^- p \rightarrow \omega\pi^0 n$** 

| VALUE (MeV)    | DOCUMENT ID | TECN | COMMENT                                |
|----------------|-------------|------|--|
| <b>400±100</b> | ALDE 95     | GAM2 | 38 $\pi^- p \rightarrow \omega\pi^0 n$ |

 **$\bar{p}p \rightarrow \pi\pi$  or  $\bar{K}K$** 

| VALUE (MeV)  | DOCUMENT ID | TECN   | CHG | COMMENT                                |
|--|-------------|--------|-----|--|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |             |        |     |  |
| ~ 169  | HASAN 94    | RVUE   |     | $\bar{p}p \rightarrow \pi\pi$          |
| ~ 250  | MARTIN 80B  | RVUE   |     |  |
| ~ 300  | MARTIN 80C  | RVUE   |     |  |
| ~ 150  | CARTER 78B  | CNTR 0 |     | 0.7–2.4 $\bar{p}p \rightarrow K^- K^+$ |
| ~ 210  | CARTER 77   | CNTR 0 |     | 0.7–2.4 $\bar{p}p \rightarrow \pi\pi$  |

**S-CHANNEL  $\bar{N}N$** 

| VALUE (MeV)  | DOCUMENT ID       | TECN    | CHG | COMMENT   |
|--|-------------------|---------|-----|---|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |                   |         |     |   |
| 260± 75  | 13 ANISOVICH 02   | SPEC    |     | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ |
| $235^{+65}_{-40}$  | ANISOVICH 00J     | SPEC    |     |   |
| $135^{+150}_{-65}$   | 14,15 COUPLAND 77 | CNTR 0  |     | 0.7–2.4 $\bar{p}p \rightarrow \bar{p}p$                                 |
| $165^{+18}_{-8}$   | 15 ALSPECTOR 73   | CNTR    |     | $\bar{p}p$ S channel  |
| < 60   | 16 OH 70B         | HDBC –0 |     | $\bar{p}(pn), K^* K 2\pi$   |
| ~ 140  | ABRAMS 67C        | CNTR    |     | S channel $\bar{p}N$  |

 **$\pi^- p \rightarrow K^+ K^- n$** 

| VALUE (MeV)  | DOCUMENT ID  | TECN   | CHG | COMMENT                            |
|--|--|--------|-----|------------------------------------|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>   |  |        |     |                                    |
| 245±20   | ALPER 80   | CNTR 0 |     | 62 $\pi^- p \rightarrow K^+ K^- n$ |
| 10 $I(J^P) = 1(5^-)$   | from simultaneous analysis of $p\bar{p} \rightarrow \pi^-\pi^+$ and $\pi^0\pi^0$ . |        |     |                                    |
| 11 $I = 0(1); J^P = 5^-$   | from Barrelet-zero analysis.   |        |     |                                    |
| 12 $I(J^P) = 1(5^-)$   | from amplitude analysis.   |        |     |                                    |
| 13 From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.                              |  |        |     |                                    |
| 14 From a fit to the total elastic cross section.  |  |        |     |                                    |
| 15 Isospins 0 and 1 not separated.   |  |        |     |                                    |
| 16 No evidence for this bump seen in the $\bar{p}p$ data of CHAPMAN 71B. Narrow state not confirmed by OH 73 with more data. |  |        |     |                                    |

 **$\rho_5(2350)$  REFERENCES**

|               |              |  |
|---------------|--------------|--|
| ANISOVICH 02  | PL B542 8    | A.V. Anisovich <i>et al.</i>                     |
| ANISOVICH 01D | PL B508 6    | A.V. Anisovich <i>et al.</i>                     |
| ANISOVICH 01E | PL B513 281  | A.V. Anisovich <i>et al.</i>                     |
| ANISOVICH 00J | PL B491 47   | A.V. Anisovich <i>et al.</i>                     |
| ALDE 95       | ZPHY C66 379 | D.M. Alde <i>et al.</i> (GAMS Collab.) JP        |
| HASAN 94      | PL B334 215  | A. Hasan, D.V. Bugg (LOQM)                       |
| ALPER 80      | PL 94B 422   | B. Alper <i>et al.</i> (AMST, CERN, CRAC, MPIM+) |
| MARTIN 80B    | NP B176 355  | B.R. Martin, D. Morgan (LOUC, RHEL) JP           |
| MARTIN 80C    | NP B169 216  | A.D. Martin, M.R. Pennington (DURH) JP           |

|           |     |             |                            |                 |
|-----------|-----|-------------|----------------------------|-----------------|
| CARTER    | 78B | NP B141 467 | A.A. Carter                | (LOQM)          |
| CUTTS     | 78B | PR D17 16   | D. Cutts <i>et al.</i>     | (STON, WISC)    |
| CARTER    | 77  | PL 67B 117  | A.A. Carter <i>et al.</i>  | (LOQM, RHEL) JP |
| COUPLAND  | 77  | PL 71B 460  | M. Coupland <i>et al.</i>  | (LOQM, RHEL)    |
| ALSPECTOR | 73  | PRL 30 511  | J. Alspector <i>et al.</i> | (RUTG, UPNJ)    |
| OH        | 73  | NP B51 57   | B.Y. Oh <i>et al.</i>      | (MSU)           |
| CHAPMAN   | 71B | PR D4 1275  | J.W. Chapman <i>et al.</i> | (MICH)          |
| ABRAMS    | 70  | PR D1 1917  | R.J. Abrams <i>et al.</i>  | (BNL)           |
| OH        | 70B | PRL 24 1257 | B.Y. Oh <i>et al.</i>      | (MSU)           |
| ABRAMS    | 67C | PRL 18 1209 | R.J. Abrams <i>et al.</i>  | (BNL)           |